Withis

Withis 1

User Manual

Contents

1 About Withis 1 ---------- 1

2 Safety Notice ---------- 2

3 Packing List ---------- 3

4 Diagram ---------- 4

5 Assemble ---------- 5

6 Adjust ---------- 7

7 Fold and Unfold ---------- 8

8 Stowage Box ---------- 9


9 Specifications ---------- 9

10 Safe Riding Tips ---------- 10

11 Maintenance ---------- 11

1 About Withis 1

The Withis 1 is a compact folding bike designed for personal urban transportation.




2 Safety Notice

Thank you for your purchase of the Withis 1. Before start, please notice:


- Make sure to read through this manual and follow the instructions to operate the product safely.
- All the packing material and wraps should be removed off the product before riding.
- By riding the Withis 1, the user acknowledges and accepts personal responsibility of all risks associated with the use of the Withis 1, which may include, but are not limited to, muscle injuries, broken bones, lacerations, or serious injury that may be sustained while riding.

3 Packing List

Folding Bike ×1




User Manual ×1



Tools




Wrench **×1**




Allen Keys **×3**

Pedals ×2



Tips: Tools inside the package can be used for adjusting or tighten the components of the product.


4 Diagram


Brake Lever
Handlebar
Stem
Stowage Box
Brake Disc
Pedal
Kickstand
Brake Caliper
Seat
Seat Post
Frame
Crank


5 Assemble

Unfold the Bike


1 Unfold the frame.




2 Screw and tighten the latch of the frame clockwise.



3 Pull the stem upright.




4 Close the latch of the stem and buckle the safety clasp.




Notice: The latch of the frame should be tightened hard that it does not get loose under vibrations.

Adjust the Handlebar

1 Release the screws of the top cap and adjust the handlebar to a comfortable position.




2 Tighten the screws alternately to fix the handlebar in place.




Attach the Pedals

1 Screw the pedal which has a mark 'R' on the right crank arm clockwise, tighten it with the wrench hard.



2 Screw the pedal which has a mark 'L' on the left crank arm counterclockwise, tighten it with the wrench hard.





Notice:

- The thread of the pedal and the crank should be aligned right before screwing in.
- Make sure the pedals are fully tightened to prevent thread stripping while pedaling.

6 Adjust


Adjust the Seat Height






Notice: The safety mark on the seat post should not be exposed above the frame.

Adjust the Seat Angle and Position







7 Fold and Unfold

Fold the Bike


1 Drop the kickstand, unscrew the latch of the frame counterclockwise.




2 Fold the frame.



3 Release the safety clasp and pull down the latch of the stem.



4 Fold the stem down, adjust the seat to the lowest height.





Unfold the Bike

Refer to this manual - 5 Assemble - Unfold the Bike

8 Stowage Box

The Withis 1 is equipped with a stowage box in the front of the frame, which can be used for stowing small-sized tools, etc.





9 Specifications

Model	1S010
Model Year	2024
Dimensions	1240 × 550 × 960 mm
Folded Dimensions	650 × 520 × 650 mm
Wheel Base	850 mm
Net Weight	12.4 kg
Maximum Load	100 kg
Wheel Size	16" × 1.75

10 Safe Riding Tips

- Make sure the latch of the frame is tightened before riding.
- This product is designed for the use on urban paved roads. Do not ride on uneven terrain. Do not ride up and down steps or perform dangerous maneuvers to prevent damage to the product.
- Do not ride at high speeds near crowds. Keep a safe distance from others.
- Avoid slamming on the brakes. Use rear brake as priority when braking.
- It takes longer to stop in wet conditions. Do not ride in inclement weather or on roads which are muddy, soft or icy.
- Check the performance of the brakes regularly and make sure they are in good condition before riding.
- Do not sit or put heavy loads on the bike when the kickstand is dropped.
- Wearing a helmet while riding is strongly recommended.

11 Maintenance

Regular checking, repairing and proper storage can guarantee a longer product lifespan.

Regular Checking

- Check if the brakes are responsive.
- Check if all screws are tightened.
- Check the tire pressures and check if the tread has worn down.
- Check if the chain get rusty. Oil it when necessary.

Cleaning and Storage

- To clean the outer body of the bike, flush it with water, wipe with detergent soaked cloth, then flush it clean and dry up.
- Do not flush the bike with high pressure water for it may damage the bike parts.
- Transmission components should be dried up as soon as they get wet to prevent rust.
- Do not clean the bike with ethanol, gasoline or other corrosive dissolvent for they may damage the bike parts.
- The bike should be stored in dry and cool environment. Heat of the sun, rain or extreme cold may cause damage over time.

Due to product upgrades, the user manuals may receive updates from time to time. Please visit http://www.withismobility.com for the latest user manuals and product information.

V1.0

© 2024 WITHIS. ALL RIGHTS RESERVED.